

**#VEHICLE
EXPERTEERS**



**WOW! COOLIUS
AIR CONDITIONING SERVICE UNITS**
**Powerful and robust for the refrigerants
R134a, R1234yf and R744**

CONTENTS

5 good reasons for the WOW! COOLIUS A/C service systems

Page 4

The COOLIUS 10 series

Page 6

The COOLIUS A30

Page 8

The COOLIUS portal

Page 9

The COOLIUS 50 series

Page 10

The COOLIUS series for CO₂

Page 14

Electromobility with WOW!

Page 16

Matching accessories

Page 18

Overview of the WOW! COOLIUS A/C service systems

Page 20

More WOW! moments

Page 22

Further information is available at
www.wow-portal.com/en/coolius





It's hard to imagine modern vehicles without air conditioning and thermal management systems.

Powerful and robust air conditioning service units for A/C system and heat pump maintenance with refrigerants R134a, R1234yf and R744 are essentials.

COOLIUS AIR CONDITIONING SERVICE SYSTEMS

secure your income and take care of the A/C service on customer vehicles in no time at all.

FULLY AUTOMATIC, TIME-SAVING AND THEREFORE EXTREMELY ECONOMICAL.

5 GOOD REASONS FOR THE A/C SERVICE SYSTEMS WOW! COOLIUS

Everything from a single source

From our own development, to manufacturing in Italy, to initial instruction in the workshop. You get everything from a single source, for your work on air conditioning and thermal management systems.

Profitable concept for your workshop

Due to the constantly growing market requirements, we continue to develop our COOLIUS air conditioning service systems in cooperation with you.

Your comprehensive and competent service

No matter how and where, you will receive support from instruction to repair and beyond – that is a given standard for us.

Future-proof investment for today and tomorrow

The right tool for every request. Especially the growing demands in terms of e-mobility require flexible tools. With COOLIUS, you rely on the right devices.

Economically and ecologically a win for you

A fully automatic, time-saving system for all vehicle types is good for the workshop budget and also has an almost 100 percent refrigerant recovery.



* Only applies to the 50 series.



SELECTED HIGHLIGHTS OF THE COOLIUS SERIE

- Ready for hybrid, electric and combustion vehicles
- Unique mobility thanks to compact dimensions, possible operation with voltage transformer and toolless scale locking system *
- Refrigerant recovery of almost 100 %
- Use of high-quality components for long service life
- Thanks to excellent service and possible maintenance agreements, long-term functionality is guaranteed

* Does not apply to COOLIUS A30.

THE COOLIUS 10 SERIES

User-friendly and mobile companions for small and medium-sized systems.



COOLIUS A10

Art. no. W050 101 000

For refrigerant R134a



www.wow-portal.com/a10



COOLIUS Y10

Art. no. W050 111 000

For refrigerant R1234yf



www.wow-portal.com/y10

YOUR MOBILE COMPANIONS

Compact design with comprehensive standard equipment such as internal / external flushing function.

How about the
WOW! DOUBLE PACK set?

Art. no. W050 199 000

Carry out two A/C services
at the same time with these two
cool models at a package price
(COOLIUS A10 & Y10)

WOW! COOLIUS 10 SERIES

The 10 series is suitable, for example, for

- cars
- vans
- commercial vehicles
- construction vehicles
- agricultural vehicles

The key features of the 10 series are

- mobile use
- compact design
- suited for hybrid, electric and combustion vehicles
- internal and external* flushing function for easy oil grade change
- tool-less cart locking system
- optional external refrigerant identifier (A10, Y10)



* The required accessories are available from WOW!

Highlights of the COOLIUS 10 series

Ideal for mobile use

Innovative scale fuse.
Operation possible with voltage converter.

No unauthorised access

Personalised access possible.
Personal 4-digit password ensures access by authorised persons only.

YOUR GAIN IN FIGURES

Exemplary amortisation calculation
for air conditioning service with the COOLIUS A10
for refrigerant R134a in Germany

**Amortisation after
only 2 A/C services
per month!**



Acquisition costs incl. initial training

Acquisition cost or	€ 3415.00
Monthly leasing rate (duration 4 years)	€ 90.50

Variable costs per A/C service

Refrigerant (150 g)	- € 4.49
Expendable materials	- € 5.00
Personnel costs (approx. 10 min.)	- € 13.33
Maintenance costs with maintenance agreement	- € 5.98

Selling price to end customer (net)	+ € 84.03
-------------------------------------	-----------

**Your profit
per A/C service
(with the COOLIUS A10)** + € 55.23

THE COOLIUS A30

The user-friendly
and efficient unit for
large-volume systems.



COOLIUS A30

Art. no. W050 103 000

For refrigerant R134a



www.wow-portal.com/a30



THE BIG BROTHER

For large-volume systems,
with additional
refrigerant pump.

Highlights of the COOLIUS A30

Clever documentation

Data is read out and exported via a USB interface to document individual services and evaluate the overall refrigerant consumption.

A clean solution

Automated cleaning of the A/C service unit cycle and quick oil grade change.

Data input with CooliusSelect

Intuitive menu navigation and operation with the navigation dial. Easy to operate, even with gloves.

Service-friendly components

Use of high-quality and specially matched components for long service lives and service intervals.

WOW! COOLIUS A30

The COOLIUS A30 is suitable, for example, for

Medium to large systems:

- buses
- rail vehicles
- agricultural vehicles
- construction vehicles
- commercial vehicles
- vans
- cars

The key features of the COOLIUS A30 are

- suited for large-volume air conditioners
- suited for hybrid, electric and combustion vehicles
- high filling and extraction capacity
- internal and external* flushing function for easy oil grade change
- **liquid filling pump** ensures rapid filling of the system with large quantities of refrigerant
- optional external refrigerant identifier




* The required accessories are available from WOW!

COOLIUS PORTAL

Your device platform

- ➔ **Overview of all A/C service units used in your workshop.**
Registration of the units means that all important documents and useful information regarding your COOLIUS units is saved (e.g. in a unique BUS database).
- ➔ **Whatever you want to know about your A/C service unit, you will find it in the COOLIUS portal.**
Instruction manual, firmware and software updates, certification documents, vehicle database and available spare parts.
- ➔ **The COOLIUS portal is always up to date.**
You can obtain all updates, e.g. for the database, via the COOLIUS portal. Every new detail about your device is entered in the portal for you.

To the COOLIUS portal:
www.coolius-ac.com



THE COOLIUS 50 SERIES

**Our all-round carefree systems
for small to medium-sized systems
with a wide range of standard equipment.**



WOW! COOLIUS 50 SERIES

COOLIUS A50

Art. no. W050 105 000

For refrigerant R134a



www.wow-portal.com/a50



COOLIUS Y50

Art. no. W050 115 000

For refrigerant R1234yf



www.wow-portal.com/y50

THE ALL-ROUND CAREFREE SYSTEM

With integrated
function for
nitrogen or
forming gas test
with two oil reservoirs
for simple oil grade
change.

COOLIUS Y50A

Art. no. W050 115 020

For refrigerant R1234yf



www.wow-portal.com/y50a



The analyst with
integrated analysis!

WOW! COOLIUS 50 SERIES

The COOLIUS 50 series is suitable, for example, for

Small to medium-sized systems:

- cars
- vans
- commercial vehicles
- construction vehicles
- agricultural vehicles
- forestry vehicles
- trains

The key features of the 50 series are

- large internal tank volume for many services
- nitrogen and forming gas test
- suitable for hybrid, electric and combustion vehicles
- high filling and recovery rate
- internal and external* flushing function for easy oil grade change
- internal analysis (Y50A)
- optional external refrigerant identifier (A50, Y50)



* The required accessories are available from WOW!

Highlights of the COOLIUS 50 series

Low emission concept

Innovative old oil discharge procedure for smallest possible refrigerant loss. The unit protects ensures safety and also saves money.

No unauthorised access

Personalised access possible. Personal 4-digit password ensures access by authorised persons only.

Service-friendly components

Use of high-quality and specially matched components for long service lifes and service intervals.

Data input with CooliusSelect

Intuitive menu navigation and operation with the navigation dial. Easy to operate, even with gloves.

Clever documentation

Data are read out and exported via a USB interface to document individual services and evaluate the overall refrigerant consumption.

Legally compliant testing

Nitrogen / forming gas test integrated into the unit software. Saves time and money and ensures binding documentation for the end customer.

Optimal control

Analogue instruments for pressure control.

A clean solution

Automated cleaning of the A/C service unit cycle and for quick oil grade change.

WOW! COOLIUS 50 SERIES

Your gain in figures

Exemplary amortisation calculation

for an air conditioning service with the COOLIUS Y50A
for refrigerant R1234yf in Germany

**Amortisation after
only 2 A/C services
per month!**



Acquisition costs incl. initial training

Acquisition cost or	€ 6575.00
Monthly leasing rate (duration 4 years)	€ 174.24

Variable costs per A/C service

Refrigerant (100 g)	- € 6.98
Expendable materials	- € 5.00
Personnel costs (approx. 10 min.)	- € 13.33
Maintenance costs with maintenance agreement	- € 2.75

Selling price to end customer (net)	+ € 126.05
-------------------------------------	------------

Your profit per A/C service (with the COOLIUS Y50A)	+ € 97.99
--	------------------



THE COOLIUS SERIES FOR CO₂

Our fully automatic systems
for thermal management
of CO₂ heat pumps and
CO₂ air conditioning systems.



COOLIUS C20

Art. no. W050 122 000

Fully automatic, time-saving system for
small-volume thermal management
systems with refrigerant R744.



www.wow-portal.com/c20



**THE NEW
GENERATION
FOR THERMAL
MANAGEMENT
SYSTEMS**

COOLIUS C40

Art. no. W050 140 000

The big brother of the C20, for
large-volume R744 thermal
management systems.



WOW! COOLIUS FOR CO₂

Your gain in figures

Exemplary amortisation calculation

for air conditioning service with the COOLIUS C20
for refrigerant R744 in Germany

**Amortisation after
only 2 A/C services
per month!**



Acquisition costs incl. initial training

Acquisition cost or	€ 5940.00
Monthly leasing rate (duration 4 years)	€ 157.41

Variable costs per A/C service

Refrigerant (500 g)	- € 16.36
Consumables	- € 5.00
Personnel costs (approx. 20 min.)	- € 26.67
Maintenance costs with maintenance agreement	- € 5.50

Selling price to end customer (net)	+ € 151.26
-------------------------------------	------------


Your profit

per A/C service (with the COOLIUS C20)	+ € 97.73
---	-----------

No air conditioning / heat pump maintenance without vehicle diagnosis!

Nowadays, for professional air conditioning service, you also need multi-brand diagnosis with which, for example, existing safety and control valves can be switched to a service mode.

With the **WOW! DIALOOQ diagnostic system**, you can perform these tasks in no time. And it goes without saying that it can also be used to carry out many other diagnosis and service tasks in the field of thermal management and air conditioning.



ELECTROMOBILITY WITH WOW!

The **WOW! diagnostics and air conditioning service systems** provide you with everything you need as a **VEHICLE EXPERT** in the field of electromobility.

Profitable work on high-voltage vehicles with the **WOW! DIAL00Q diagnosis system**

- coverage of 320+ different vehicle models from 38+ manufacturers in the high-voltage range*
- Tesla as a manufacturer with the Model S [2012-] and Model X [2015-]
- "High voltage / hybrid" button for rapid detection of a possible battery electric vehicle (BEV) or hybrid vehicle
- battery status test
- diagnostic activation and reactivation process: diagnostic disconnection and connection of the high-voltage system
- highlight function "Flight recorder" enables monitoring and testing of the electric drivetrain while driving



Stay cool when it comes to A/C services with the **WOW! COOLIUS air conditioning service systems**

- ready for hybrid, electric and combustion vehicles
- ready for thermal management systems (COOLIUS C20 and Y series)
- permanent leak monitoring and ~ 100% refrigerant recovery with maximum efficiency (COOLIUS A and Y series)



Further information is available at www.wow-portal.com/emobility

* As of January 2025.

**#VEHICLE
EXPERTEERS**

**WOW! OFFERS MORE
FOR YOUR
WORKSHOP!**



www.wow-portal.com



WOW! COOLIUS ACCESSORIES

Disposal kit

For the disposal of contaminated refrigerant with hand pump, 2 hoses and bottle.

Art. no. W067 200 026



Flushing kit

Allows flushing of the vehicle A/C system with refrigerants R134a and R1234yf.*

Art. no. W067 100 010

Holder for flushing kit COOLIUS
Art. no. W067 100 135

* In some cases, R744 systems are also flushed with the refrigerants named above. (Depending on manufacturer's specifications.)



Adapter sets for flushing kit

Allows jumpering of the compressor connections.

See overview lists for details of the available adapter kits.

To the overview:

www.wow-portal.com/flushingkit



Cover

Protects your A/C service unit in the workshop from dirt and dust.

Art. no. W067 100 003
for 30 and 50 series units

Art. no. W067 100 002
for 10 series units



External analysis unit

Enables easy identification of the refrigerant in the vehicle air conditioning system.

Art. no. W067 000 100
for refrigerant R1234yf

Art. no. W067 000 101
for refrigerant R134a



Maintenance agreement

Annual execution by our technicians (incl. material, travel and working time).

Art. no. 0900 400 159
for A10, Y10, A50, Y50

Art. no. W750 000 005
for A30


Art. no. W750 000 003 or
Art. no. W750 000 004
for Y50A



Holder for nitrogen / forming gas cylinder

For easy attachment of the cylinder to the A/C service unit (incl. holder, screws, connecting hose and retaining strap).


Art. no. W067 100 000



Extension kit service hoses, 3 m

Art. no. W067 100 001
for refrigerant R1234yf

Art. no. W067 200 030
for refrigerant R134a



Inspection cylinders

For checking the oil quality in the air conditioning system and protecting the A/C service unit.

Art. no. W067 400 004
for refrigerants R1234yf and R134a



Hermetically sealed oil container

- For easy retrofitting of COOLIIUS A/C service units.
- Meets the requirements and recommendations of the vehicle manufacturers.

Art. no. W052 100 170
Matching WOW! adapter set

Art. no. 0892 764 072
PAG 46 Premium Airco-Bag 150 ml

Art. no. 0892 764 073
PAG 100 Premium Airco-Bag 150 ml

Art. no. 0892 764 074
POE 100 Airco-Bag 150 ml

Art. no. 0892 764 071
Leak detection additive
Airco-Bag 150 ml



Overview of the WOW! COOLIUS air conditioning service systems

	A10 	A30 	A50 
Refrigerant	R134a		
Dimensions	572 x 545 x 1045 mm	680 x 667 x 1175 mm	680 x 667 x 1175 mm
Weight	65 kg	120 kg	90 kg
Casing	Metal with robust plastic cover	Metal cover	Metal with robust plastic cover
Operating voltage	230 V / 50/60 Hz	230 V/50 Hz	230 V / 50/60 Hz
Operating temperature range	+10/+49°C	+10/+49°C	+10/+49°C
Total volume	11 kg	35 kg	20 kg
Refrigerant scales	60 kg loadable	100 kg loadable	60 kg loadable
Refrigerant analyser	-	-	-
Max. operating pressure	20 bar	20 bar	20 bar
Compressor	1/3 HP	5/8 HP	3/8 HP
Recovery rate (liquid)	300 g/min	980 g/min	500 g/min
Nitrogen / forming gas test	-	-	Automatic (accessories required)
Non-condensable gas discharge	Automatic	Automatic	Automatic
Main filter dryer (1 piece)	Type 660 Coaxial	Type 660 Coaxial	Type 660 Coaxial
Fan for safe operation	D 172 mm	D 172 mm	D 172 mm
Recovery speed by cooling the compressor with fan	D 172 mm	D 172 mm	D 172 mm
Pressure increase monitoring	Automatic	Automatic	Automatic
Old oil discharge	Automatic	Automatic	Automatic
Old oil bottle capacity	250 ml	1000 ml	250 ml
Oil / UV accuracy	± 2 g	± 2 g	± 2 g
Refrigerant recovery and filling accuracy	± 15 g	± 50 g	± 15 g
Vacuum pump capacity	100 l/min	170 l/min	128 l/min
Final pressure (McLeod abs)	0.05 mb	0.05 mb	0.05 mb
Electronic pressure sensor	Integrated	Integrated	Integrated
Fresh oil filling	Automatic	Automatic	Automatic
Fresh oil PAG / POE bottle content	250 ml	500 ml	250 ml
UV additive, bottle content	100 ml	250 ml	100 ml
Refrigerant filling	Automatic	Automatic	Automatic
Internal flushing for oil grade change	As standard	As standard	As standard
Flushing the vehicle A/C systems	As standard	As standard	As standard
Refrigerant management system	Integrated	Integrated	Integrated
Display	4 x 20 characters	4 x 20 characters	4 x 20 characters
Acoustic signal	For errors and hints	For errors and hints	For errors and hints
Update of vehicle database	Via USB port	Via USB port	Via USB port
Creation of own vehicle database	Option	Option	Option
Integrated printer	With multiple printing	With multiple printing	With multiple printing
High pressure and low pressure valves	Electronically controlled	Electronically controlled	Electronically controlled
Pressure gauge (pulse free) LP + HP	Class 1.0/D 80 mm	Class 1.0/D 80 mm	Class 1.0/D 80 mm
Pressure gauge for internal refrigerant bottle	-	Class 2.5/D 35 mm	Class 2.5/D 35 mm
Quick couplers	SAE J639	SAE J639	SAE J639
Service hoses 3 m	SAE J2197	SAE J2197	SAE J2197
Extension kit for service hoses	Available as an option	Available as an option	Available as an option
Service hose length compensation	Automatic	Automatic	Automatic
Certifications	CE certification by TÜV Süd	CE certification by TÜV Süd	CE certification by TÜV Süd

Y10**Y50****Y50A****R1234yf**

572 x 545 x 1045 mm

65 kg

Metal with robust plastic cover

230 V / 50/60 Hz

+10/+49°C

11 kg

60 kg loadable

-

20 bar

1/3 HP

300 g/min

-

Automatic

Type 660 Coaxial

D 172 mm

D 172 mm

Automatic

Automatic

250 ml

± 2 g

± 15 g

100 l/min

0.05 mb

Integrated

Automatic

250 ml

100 ml

Automatic

As standard

As standard

Integrated

4 x 20 characters

For errors and hints

Via USB port

Option

With multiple printing

Electronically controlled

Class 1.0/D 80 mm

-

SAE J639

SAE J2888

Available as an option

Automatic

CE certification by TÜV Süd

680 x 667 x 1175 mm

90 kg

Metal with robust plastic cover

230 V / 50/60 Hz

+10/+49°C

20 kg

60 kg loadable

-

20 bar

3/8 HP

500 g/min

Automatic (accessories required)

Automatic

Type 660 Coaxial

D 172 mm

D 172 mm

Automatic

Automatic

250 ml

± 2 g

± 15 g

128 l/min

0.05 mb

Integrated

Automatic

250 ml

100 ml

Automatic

As standard

As standard

Integrated

4 x 20 characters

For errors and hints

Via USB port

Option

With multiple printing

Electronically controlled

Class 1.0/D 80 mm

Class 2.5/D 35 mm

SAE J639

SAE J2888

Available as an option

Automatic

CE certification by TÜV Süd

680 x 667 x 1175 mm

90 kg

Metal with robust plastic cover

230 V / 50/60 Hz

+10/+49°C

20 kg

60 kg loadable

Integrated

20 bar

3/8 HP

500 g/min

Automatic (accessories required)

Automatic

Type 660 Coaxial

D 172 mm

D 172 mm

Automatic

Automatic

250 ml

± 2 g

± 15 g

128 l/min

0.05 mb

Integrated

Automatic

250 ml

100 ml

Automatic

As standard

As standard

Integrated

4 x 20 characters

For errors and hints

Via USB port

Option

With multiple printing

Electronically controlled

Class 1.0/D 80 mm

Class 2.5/D 35 mm

SAE J639

SAE J2888

Available as an option

Automatic

CE certification by TÜV Süd

MORE WOW! MOMENTS

FOR MORE WORKSHOP SUCCESS



FOLLOW US ON SOCIAL MEDIA



LinkedIn

@ WOW! Würth Online World GmbH



Facebook

@ WOW Würth Online World



YouTube

@ WOW! Würth Online World GmbH



Instagram

@ wuerthonlineworld



WhatsApp

@ WOW! Würth Online World GmbH



Further information is available at
www.wow-portal.com/en/coolius

**#VEHICLE
EXPERTEERS**



WOW! Würth Online World GmbH

Schliffenstraße 22
74653 Künzelsau - Germany

+49 7940 98188 - 0
+49 7940 98188 - 1099

www.wow-portal.com
info@wow-portal.com

MKT - WOW! - 02/2025 - W752 000 005
© Copyright 2025 - WOW! Würth Online World GmbH

WOW! Würth Online World GmbH
headquartered in Künzelsau
Register Court Stuttgart HRB 738 283
Turnover tax ID no.: DE 815 330 604

Follow us

