

WHY DO WORKSHOPS NEED ADAPTER SETS FOR FLUSHING?

- **Replacement of the compressor** requires flushing of the entire vehicle air conditioning system and the replacement of oil.
- **Flushing the air conditioning system** with refrigerants is necessary to remove oil and contaminants from the air conditioning system.
- **The compressors cannot be flushed and must be removed!**
- **High and low pressure connections of the compressor must be bridged by adapters** to flush the entire vehicle air conditioning circuit.

GENERAL NOTE ON THE FLUSHING PROCESS:

The adapter sets are only for bridging the compressor connections.

After a flushing operation of the air-conditioning system, the filter drier and expansion valve must always be replaced. During flushing, the old components that will have to be replaced later can be used as a stopgap and then disposed of.

WOW! ADAPTER SETS – EASILY FLUSHING

By using the WOW! adapter sets the flushing of air conditioning systems with WOW! COOLIUS becomes even easier.

- **Wide range of adapter sets** for bridging compressor connections and to connect to the flushing kit, which is necessary for flushing the system.
- **Large coverage of different vehicle types**, all sets for the different vehicle models can be found in a detailed overview list.
- The respective set includes the adapters for the different compressor types.



OVERVIEW OF ALL ADAPTER SETS

FITTING FLUSHING WITH WOW! ADAPTER SETS



COMPLETE FLUSHING AND CLEANING WITH THE WOW! FLUSHING KIT AND THE MATCHING ADAPTER SETS

The WOW! flushing kit enables flushing of the refrigerant circuit for air conditioners with refrigerant R1234yf and R134a.

It impresses with its simple handling and quick application:

- Fully automatic flushing in the circuit with liquid refrigerant against the flow direction of the A/C Systems in car.
- Very high flow rate during rinsing and therefore high cleaning performance of the A/C system.
- 1 filter that can easily be replaced after 5 cycles.



GOOD FOR YOUR WALLET - GOOD FOR THE ENVIRONMENT:

RECYCLED REFRIGERANT CAN BE REUSED AND DOES NOT NEED TO BE DISPOSED OF.

PRODUCT INFORMATION WOW! FLUSHING


VIDEO: WOW! A/C ACCESSORIES

FITTING FLUSHING WITH WOW! ADAPTER SETS




COMPRESSOR REMOVAL AND BRIDGING OF THE HIGH AND LOW PRESSURE CONNECTION BY MEANS OF ADAPTERS

CLIMATE CYCLE



COMPRESSOR REMOVED



FITTING FLUSHING WITH WOW! ADAPTER SETS



ADAPTERS ON THE HIGH AND LOW PRESSURE CONNECTIONS OF THE COMPRESSOR

